

Northeast Preliminary Fisheries Statistics

Multispecies (May - June 1999) & Scallop (March - June 1999)

Fishery Statistics Office
Northeast Regional Office
National Marine Fisheries Service
Gloucester, MA 01930

September 1999

The preliminary fisheries statistics indicating stock areas and gears in this report were derived by prorating available dealer weighout and vessel log data. These preliminary statistics, therefore, represent the currently available information, but are subject to revisions in the future.

Note: Data of selected species are reported in detail (see table of contents).

TABLE 1.A - PRELIMINARY COD LANDINGS BY STOCK AREA

	MAY - 1999		JUN - 1999		MAY-JUN 1999		1999/2000*		1998/1999*		FISHING YEAR* LANDINGS 1000 LBS
							MAY-JUN 99 AS A % OF TARGET TAC	TARGET TAC (1000 LBS)	MAY-JUN 98 AS A % OF TARGET TAC	TARGET TAC (1000 LBS)	
	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT					
GULF OF MAINE	589	15%	142	6%	732	12%	42%	1,724	67%	3,931	
OTTER TRAWL	343	9%	83	4%	426	7%	25%		45%		
GILLNET	203	5%	54	2%	257	4%	15%		20%		
HOOK	14	0%	0	0%	15	0%	1%		1%		
OTHER GEARS	29	1%	5	0%	34	1%	2%		1%		
GEORGES BANK	3,289	85%	2,198	94%	5,487	88%	46%	11,804	39%	10,362	
OTTER TRAWL	2,147	55%	1,330	57%	3,477	56%	29%		27%		
GILLNET	553	14%	603	26%	1,156	19%	10%		7%		
HOOK	406	10%	152	7%	558	9%	5%		3%		
OTHER GEARS	183	5%	112	5%	296	5%	3%		2%		
ALL AREAS	3,878	100%	2,340	100%	6,219	100%	46%	13,528	47%	14,293	
OTTER TRAWL	2,490	64%	1,413	60%	3,903	63%	29%		32%		
GILLNET	756	19%	657	28%	1,414	23%	10%		10%		
HOOK	420	11%	153	7%	572	9%	4%		2%		
OTHER GEARS	213	5%	117	5%	330	5%	2%		2%		
LANDINGS - ALL AREAS											
FISHING YEAR 1999/2000	3,878		2,340		6,219						-
FISHING YEAR 1998/1999	3,866		1,621		5,487						23,673
FISHING YEAR 1997/1998	4,628		2,460		7,088						28,840
FISHING YEAR 1996/1997	5,086		3,296		8,383						31,961

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

Cod Stock Areas:

Gulf of Maine: 464, 465, 511-515

Georges Bank: 521-637

2. Landings in live weight.

3. State landings for Connecticut are estimated for the May - June 1999 period.

4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

TABLE 1.B - PRELIMINARY COD LANDINGS BY MAJOR PORTS AND STATES, MAY-JUNE 1999

PORT/STATE	MAY-JUN 99	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	344	92	27%	252	73%	248	72%	33	10%	5	1%	59	17%
GLOUCESTER,MA	1,280	315	25%	965	75%	863	67%	154	12%	243	19%	20	2%
BOSTON,MA	353	0	0%	353	100%	353	100%	0	0%	0	0%	0	0%
NEW BEDFORD,MA	1,911	1	0%	1,910	100%	1,911	100%	0	0%	0	0%	0	0%
PT JUDITH, RI	134	0	0%	134	100%	113	85%	0	0%	0	0%	21	15%
MAINE	409	155	38%	254	62%	293	72%	50	12%	5	1%	61	15%
NEW HAMPSHIRE	64	61	94%	4	6%	30	46%	34	53%	0	0%	1	1%
MASSACHUSETTS	5,455	516	9%	4,939	91%	3,319	61%	1,330	24%	568	10%	239	4%
RHODE ISLAND	252	0	0%	252	100%	231	92%	0	0%	0	0%	21	8%
CONNECTICUT	23	0	0%	23	100%	23	100%	0	0%	0	0%	0	0%
NEW YORK	15	0	0%	15	100%	7	42%	0	0%	0	0%	9	58%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	6,219	732	12%	5,487	88%	3,903	63%	1,414	23%	572	9%	330	5%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod Stock Areas: Gulf of Maine: 464, 465, 511-515
 Georges Bank: 521-637

2. State landings for Connecticut are estimated for the May-June 1999 period.

3. Landings in live weight.

4. Gear Data are based on vessel trip reports.

TABLE 2.A - PRELIMINARY HADDOCK LANDINGS BY STOCK AREA

	MAY - 1999		JUN - 1999		MAY-JUN 99		1999/2000*		1998/1999*		FISHING YEAR* LANDINGS 1000 LBS
							MAY-JUN 99 AS A % OF TARGET TAC	TARGET TAC (1000 LBS)	MAY-JUN 98 AS A % OF TARGET TAC	TARGET TAC (1000 LBS)	
	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT					
GULF OF MAINE	22	3%	69	11%	91	7%					
OTTER TRAWL	12	2%	51	8%	63	5%					
GILLNET	8	1%	17	3%	26	2%					
HOOK	1	0%	0	0%	1	0%					
OTHER GEARS	1	0%	0	0%	1	0%					
GEORGES BANK	733	96%	555	89%	1,288	93%	10%	12,346	6%	10,576	
OTTER TRAWL	609	80%	505	81%	1,114	80%	9%		6%		
GILLNET	105	14%	33	5%	138	10%	1%		0%		
HOOK	12	2%	17	3%	29	2%	0%		0%		
OTHER GEARS	7	1%	0	0%	7	1%	0%		0%		
SNE/MID-ATLANTIC	9	1%	0	0%	9	1%					
OTTER TRAWL	9	1%	0	0%	9	1%					
GILLNET	0	0%	0	0%	0	0%					
HOOK	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	0	0%	0	0%					
ALL AREAS	764	100%	624	100%	1,388	100%					
OTTER TRAWL	630	82%	556	89%	1,186	85%					
GILLNET	113	15%	51	8%	164	12%					
HOOK	13	2%	17	3%	29	2%					
OTHER GEARS	8	1%	0	0%	9	1%					
LANDINGS - ALL AREAS											
FISHING YEAR 1999/2000	764		624		1,388						-
FISHING YEAR 1998/1999	338		626		964						5,996
FISHING YEAR 1997/1998	129		150		279						4,799
FISHING YEAR 1996/1997	81		153		234						1,542

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

Haddock stock Areas:

Gulf of Maine: 464, 465, 511-515

Georges Bank: 521-526, 533, 534, 537-539, 541-543, 551, 552, 561 & 562.

Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.

3. State landings for Connecticut are estimated for the May - June 1999 period.

4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

TABLE 2.B - PRELIMINARY HADDOCK LANDINGS BY MAJOR PORTS AND STATES, MAY-JUNE 1999

PORT/STATE	STOCK AREAS							GEAR TYPES							
	MAY-JUN 99	GULF OF MAINE		GEORGES BANK		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	103	48	47%	55	53%	0	0%	90	87%	9	9%	1	1%	3	3%
GLOUCESTER,MA	374	25	7%	349	93%	0	0%	348	93%	18	5%	7	2%	1	0%
BOSTON,MA	263	0	0%	263	100%	0	0%	263	100%	0	0%	0	0%	0	0%
NEW BEDFORD,MA	347	2	1%	345	99%	0	0%	346	100%	0	0%	0	0%	0	0%
PT JUDITH, RI	51	0	0%	51	100%	0	0%	51	100%	0	0%	0	0%	0	0%
MAINE	108	53	49%	55	51%	0	0%	93	87%	10	9%	1	1%	3	3%
NEW HAMPSHIRE	8	8	99%	0	1%	0	0%	1	11%	7	88%	0	0%	0	1%
MASSACHUSETTS	1,142	30	3%	1,112	97%	0	0%	965	85%	147	13%	28	2%	2	0%
RHODE ISLAND	88	0	0%	88	100%	0	0%	88	100%	0	0%	0	0%	0	0%
CONNECTICUT	29	0	0%	29	100%	0	0%	29	100%	0	0%	0	0%	0	0%
NEW YORK	13	0	0%	4	31%	9	69%	9	69%	0	0%	0	0%	4	31%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	1,388	91	7%	1,288	93%	9	1%	1,186	85%	164	12%	29	2%	9	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock Areas: Gulf of Maine: 464, 465, 511-515

Georges Bank: 521-526, 533, 534, 537-539, 541-543, 551, 552, 561 & 562.

Southern New England / Mid-Atlantic: 611-639

2. State landings for Connecticut and Boston are estimated for the May-June 1999 period.

3. Landings in live weight.

4. Gear Data are based on vessel trip reports.

TABLE 3.A - PRELIMINARY YELLOWTAIL FLOUNDER LANDINGS BY STOCK AREA

	MAY - 1999		JUN - 1999		MAY-JUN 1999		1999/2000*		1998/1999*		FISHING YEAR * LANDINGS 1000 LBS
							MAY-JUN 99 AS A % OF TARGET TAC	TARGET TAC (1000 LBS)	MAY-JUN 98 AS A % OF TARGET TAC	TARGET TAC (1000 LBS)	
	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT					
GULF OF MAINE	45	4%	60	8%	105	6%					
OTTER TRAWL	41	4%	44	6%	84	4%					
GILLNET	4	0%	16	2%	20	1%					
HOOK	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	0	0%	0	0%					
CAPE COD	371	33%	279	35%	650	34%					
OTTER TRAWL	226	20%	192	24%	418	22%					
GILLNET	144	13%	87	11%	231	12%					
HOOK	0	0%	0	0%	0	0%					
OTHER GEARS	1	0%	0	0%	1	0%					
GEORGES BANK	568	51%	261	33%	829	44%	14%	6,008	13%	4,729	
OTTER TRAWL	557	50%	255	32%	812	43%	14%		13%		
GILLNET	0	0%	0	0%	0	0%	0%		0%		
HOOK	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	12	1%	6	1%	18	1%	0%		0%		
SNE / MID-ATLANTIC	133	12%	187	24%	320	17%	13%	2,458	5%	1,795	
OTTER TRAWL	128	11%	186	24%	314	17%	13%		5%		
GILLNET	0	0%	0	0%	0	0%	0%		0%		
HOOK	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	4	0%	1	0%	5	0%	0%		1%		
ALL AREAS	1,117	100%	787	100%	1,904	100%					
OTTER TRAWL	952	85%	676	86%	1,629	86%					
GILLNET	149	13%	103	13%	252	13%					
HOOK	0	0%	0	0%	0	0%					
OTHER GEARS	16	1%	7	1%	24	1%					
LANDINGS - ALL AREAS											
FISHING YEAR 1999/2000	1,117		787		1,904						-
FISHING YEAR 1998/1999	698		430		1,128						9,544
FISHING YEAR 1997/1998	571		306		877						5,643
FISHING YEAR 1996/1997	723		279		1,003						6,267

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

Yellowtail Stock Areas:

Gulf of Maine: 464, 465, 511-513, 515.

Cape Cod: 514, 521.

Georges Bank: 522, 525, 542, 543, 551, 552, 561, 562.

Southern New England / Mid-Atlantic: 526, 533, 534, 537-539, 541, 611-639.

2. Landings in live weight.

3. State landings for Connecticut are estimated for the May - June 1999 period.

4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

TABLE 3.B - PRELIMINARY YELLOWTAIL FLOUNDER LANDINGS BY MAJOR PORTS AND STATES, MAY-JUNE 1999

		STOCK AREAS								GEAR TYPES							
PORT/STATE	MAY-JUN 99	GULF OF MAINE		CAPE COD		GEORGES BANK & GEORGES BANK SOUTH		SNE, SNE SOUTH & MID ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	13	0	4%	1	4%	12	93%	0	0%	3	20%	0	0%	0	0%	11	80%
GLOUCESTER,MA	413	20	5%	237	57%	156	38%	0	0%	327	79%	85	21%	0	0%	0	0%
BOSTON,MA	62	0	0%	18	29%	41	66%	3	5%	62	100%	0	0%	0	0%	0	0%
NEW BEDFORD,MA	622	27	4%	51	8%	500	80%	44	7%	615	99%	0	0%	0	0%	7	1%
PT JUDITH, RI	178	0	0%	0	0%	35	20%	143	80%	178	100%	0	0%	0	0%	0	0%
MAINE	16	3	21%	1	3%	12	76%	0	0%	6	34%	0	0%	0	0%	11	66%
NEW HAMPSHIRE	62	53	86%	9	14%	0	0%	0	0%	46	74%	16	26%	0	0%	0	0%
MASSACHUSETTS	1,464	48	3%	641	44%	719	49%	56	4%	1,221	83%	235	16%	0	0%	8	1%
RHODE ISLAND	228	0	0%	0	0%	69	30%	160	70%	228	100%	0	0%	0	0%	0	0%
CONNECTICUT	30	0	0%	0	0%	28	94%	2	6%	28	91%	0	0%	0	0%	3	9%
NEW YORK	97	0	0%	0	0%	0	0%	97	100%	97	100%	0	0%	0	0%	0	0%
NEW JERSEY	7	0	0%	0	0%	1	9%	6	91%	4	63%	0	0%	0	0%	2	37%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	1,904	105	6%	650	34%	829	44%	320	17%	1,629	86%	252	13%	0	0%	24	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail Stock Areas: Gulf of Maine: 464, 465, 511-513, 515.

Cape Cod: 514, 521.

Georges Bank: 522, 525, 542, 543, 551, 552, 561, 562.

Southern New England / Mid-Atlantic: 526, 533, 534, 537-539, 541, 611-639.

2. State landings for Connecticut and Boston are estimated for the May-June 1999 period.

3. Landings in live weight.

4. Gear data are based on vessel trip reports.

TABLE 4.A - PRELIMINARY PRORATED WHITE HAKE LANDINGS

		MAY-99		JUN-99		MAY-JUN 99		FISHING YEAR*
		1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	LANDINGS 1000 LBS
SNE/NORTH		395	100%	749	100%	1,144	100%	
	OTTER TRAWL	168	43%	302	40%	470	41%	
	GILLNET	220	56%	360	48%	580	51%	
	HOOK	7	2%	87	12%	93	8%	
	OTHER GEAR	0	0%	0	0%	0	0%	
MID-ATLANTIC		0	0%	0	0%	0	0%	
	OTTER TRAWL	0	0%	0	0%	0	0%	
	GILLNET	0	0%	0	0%	0	0%	
	HOOK	0	0%	0	0%	0	0%	
	OTHER GEAR	0	0%	0	0%	0	0%	
ALL AREAS		395	100%	749	100%	1,144	100%	
	OTTER TRAWL	168	43%	302	40%	471	41%	
	GILLNET	220	56%	360	48%	580	51%	
	HOOK	7	2%	87	12%	93	8%	
	OTHER GEAR	0	0%	0	0%	0	0%	
LANDINGS	1999/2000	395		749		1,144		-
LANDINGS	1998/1999	222		567		789		5,647
LANDINGS	1997/1998	138		461		599		4,935
LANDINGS	1996/1997	536		841		1,377		6,852

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

White Hake Stock Areas:

SNE&North:: 464-465, 500-562

Mid-Atlantic: 600-639

2. Landings in live weight.
3. State landings for Connecticut are estimated for the May-June 1999 period.
4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

TABLE 4.B - PRELIMINARY WHITE HAKE LANDINGS BY MAJOR PORTS AND STATES, MAY-JUNE 1999

PORT/STATE	STOCK AREAS					GEAR TYPES							
	MAY-JUN 99	SNE/ MA		MID- ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	491	491	100%	0	0%	211	43%	186	38%	93	19%	0	0%
GLOUCESTER,MA	373	373	100%	0	0%	116	31%	257	69%	0	0%	0	0%
BOSTON,MA	27	27	100%	0	0%	27	100%	0	0%	0	0%	0	0%
NEW BEDFORD,MA	10	10	100%	0	0%	10	100%	0	0%	0	0%	0	0%
PT JUDITH, RI	12	12	100%	0	0%	12	100%	0	0%	0	0%	0	0%
MAINE	590	590	100%	0	0%	276	47%	221	37%	93	16%	0	0%
NEW HAMPSHIRE	100	100	100%	0	0%	0	0%	100	100%	0	0%	0	0%
MASSACHUSETTS	420	420	100%	0	0%	160	38%	260	62%	0	0%	0	0%
RHODE ISLAND	29	29	100%	0	0%	29	100%	0	0%	0	0%	0	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	4	4	94%	0	6%	4	100%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	1,144	1,144	100%	0	0%	471	41%	580	51%	93	8%	0	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment
(see the attached statistical chart).

White Hake stock Areas: SNE/North: 464-465, 500-562.

Mid-Atlantic: 600-639.

2. State landings for Connecticut are estimated for the May - June 1999 period.

3. Landings in live weight.

4. Gear Data are based on vessel trip reports.

TABLE 5.A - PRELIMINARY PRORATED AMERICAN PLAICE LANDINGS

		MAY-99		JUN-99		MAY-JUN 99		FISHING YEAR*
		1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	LANDINGS 1000 LBS
GULF OF MAINE/GB		799	100%	1,096	100%	1,894	100%	
	OTTER TRAWL	740	92%	1,068	98%	1,808	95%	
	GILLNET	56	7%	22	2%	78	4%	
	HOOK	0	0%	0	0%	0	0%	
	OTHER GEAR	3	0%	5	0%	9	0%	
SNE / MID-ATLANTIC		3	0%	0	0%	3	0%	
	OTTER TRAWL	3	0%	0	0%	3	0%	
	GILLNET	0	0%	0	0%	0	0%	
	HOOK	0	0%	0	0%	0	0%	
	OTHER GEAR	0	0%	0	0%	0	0%	
ALL AREAS		802	100%	1,096	100%	1,898	100%	
	OTTER TRAWL	743	93%	1,068	98%	1,811	95%	
	GILLNET	56	7%	22	2%	78	4%	
	HOOK	0	0%	0	0%	0	0%	
	OTHER GEAR	3	0%	5	0%	9	0%	
LANDINGS	1999/2000	802		1,096		1,898		-
LANDINGS	1998/1999	1,423		972		2,396		7,787
LANDINGS	1997/1998	1,064		1,308		2,373		8,504
LANDINGS	1996/1997	1,473		1,368		2,841		10,032

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

American Plaice Stock Areas:

Gulf of Maine/GB: 464-465, 511-526, 551-552, 561-562.

Southern New England/Mid-Atlantic: 533-534, 537-539, 541-543, 611-639.

2. Landings in live weight.
3. State landings for Connecticut are estimated for the May-June 1999 period.
4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

TABLE 5.B - PRELIMINARY AMERICAN PLAICE LANDINGS BY MAJOR PORTS AND STATES, MAY-JUNE 1999

		STOCK AREAS				GEAR TYPES							
PORT/STATE	MAY-JUN 99	GOM/ GB		SNE/ MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	328	328	100%	0	0%	328	100%	0	0%	0	0%	0	0%
GLOUCESTER,MA	589	589	100%	0	0%	527	89%	54	9%	0	0%	9	1%
BOSTON,MA	70	70	100%	0	0%	70	100%	0	0%	0	0%	0	0%
NEW BEDFORD,MA	280	280	100%	0	0%	280	100%	0	0%	0	0%	0	0%
PT JUDITH,RI	52	52	100%	0	0%	52	100%	0	0%	0	0%	0	0%
MAINE	545	545	100%	0	0%	545	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	100	100	100%	0	0%	95	95%	5	5%	0	0%	0	0%
MASSACHUSETTS	1,110	1,110	100%	0	0%	1,028	93%	73	7%	0	0%	9	1%
RHODE ISLAND	137	136	100%	0	0%	137	100%	0	0%	0	0%	0	0%
CONNECTICUT	6	4	65%	2	35%	6	100%	0	0%	0	0%	0	0%
NEW YORK	1	0	0%	1	100%	1	96%	0	4%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	1,898	1,894	100%	3	0%	1,811	95%	78	4%	0	0%	9	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock Areas: Gulf of Maine/GB: 464-465, 511-526, 551-552, 561-562.

SNE/MA: 533-534, 537-539, 541-543, 611-639.

2. State landings for Connecticut are estimated for the May-June 1999 period.

3. Landings in live weight.

4. Gear Data are based on vessel trip reports.

TABLE 6.A - PRELIMINARY PRORATED WINTER FLOUNDER LANDINGS

	MAY-99		JUN-99		MAY-JUN 99		FISHING YEAR*
	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	LANDINGS 1000 LBS
GULF OF MAINE	155	13%	84	8%	240	11%	
OTTER TRAWL	85	7%	51	5%	136	6%	
GILLNET	70	6%	33	3%	103	5%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEAR	0	0%	0	0%	0	0%	
GEORGES BANK	367	31%	301	28%	669	30%	
OTTER TRAWL	367	31%	301	28%	668	30%	
GILLNET	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEAR	1	0%	1	0%	1	0%	
SNE / MID-ATLANTIC	657	56%	681	64%	1,338	60%	
OTTER TRAWL	612	52%	652	61%	1,264	56%	
GILLNET	40	3%	26	2%	66	3%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEAR	5	0%	3	0%	8	0%	
ALL AREAS	1,180	100%	1,067	100%	2,247	100%	
OTTER TRAWL	1,064	90%	1,004	94%	2,067	92%	
GILLNET	110	9%	60	6%	170	8%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEAR	6	1%	3	0%	9	0%	
LANDINGS 1999/2000	1,180		1,067		2,247		-
LANDINGS 1998/1999	1,305		1,250		2,555		11,246
LANDINGS 1997/1998	1,304		1,201		2,505		11,891
LANDINGS 1996/1997	1,544		1,219		2,763		10,668

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

Winter Flounder Stock Areas:

Gulf of Maine: 464-465, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England/Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.
3. State landings for Connecticut are estimated for the May-June 1999 period.
4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

TABLE 6.B - PRELIMINARY WINTER FLOUNDER LANDINGS BY MAJOR PORTS AND STATES, MAY-JUNE 1999

		STOCK AREAS						GEAR TYPES							
PORT/STATE	MAY-JUN 99	GULF OF MAINE		GEORGES BANK		SNE/MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	5	0	3%	5	92%	0	6%	5	94%	0	0%	0	0%	0	6%
GLOUCESTER,MA	154	59	39%	48	31%	46	30%	74	48%	79	51%	0	0%	0	0%
BOSTON,MA	36	0	0%	23	65%	13	35%	36	100%	0	0%	0	0%	0	0%
NEW BEDFORD,MA	910	2	0%	566	62%	342	38%	907	100%	0	0%	0	0%	3	0%
PT JUDITH, RI	344	0	0%	11	3%	333	97%	344	100%	0	0%	0	0%	0	0%
MAINE	5	0	8%	5	86%	0	6%	5	95%	0	0%	0	0%	0	5%
NEW HAMPSHIRE	4	4	100%	0	0%	0	0%	2	44%	2	56%	0	0%	0	0%
MASSACHUSETTS	1,311	235	18%	643	49%	433	33%	1,141	87%	166	13%	0	0%	4	0%
RHODE ISLAND	399	0	0%	12	3%	388	97%	399	100%	1	0%	0	0%	0	0%
CONNECTICUT	211	0	0%	9	4%	201	96%	210	100%	0	0%	0	0%	0	0%
NEW YORK	205	0	0%	0	0%	205	100%	205	100%	0	0%	0	0%	0	0%
NEW JERSEY	110	0	0%	0	0%	110	100%	106	96%	0	0%	0	0%	4	4%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	2,247	240	11%	669	30%	1,338	60%	2,067	92%	170	8%	0	0%	9	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock Areas: Gulf of Maine: 464, 465, 511-515

Georges Bank: 522, 525, 542-543, 551-552 & 561-562.

Southern New England / Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. State landings for Connecticut are estimated for the May - June 1999 period.

3. Landings in live weight.

4. Gear Data are based on vessel trip reports.

TABLE 7.A - PRELIMINARY PRORATED WITCH FLOUNDER LANDINGS

		MAY-99		JUN-99		MAY-JUN 99		FISHING YEAR*
		1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	LANDINGS 1000 LBS
GOM/GB		437	95%	699	94%	1,136	94%	
	OTTER TRAWL	425	92%	662	89%	1,086	90%	
	GILLNET	9	2%	33	4%	42	4%	
	HOOK	0	0%	0	0%	0	0%	
	OTHER GEAR	3	1%	4	0%	7	1%	
SNE / MID-ATLANTIC		23	5%	44	6%	67	6%	
	OTTER TRAWL	23	5%	44	6%	66	6%	
	GILLNET	0	0%	0	0%	0	0%	
	HOOK	0	0%	0	0%	0	0%	
	OTHER GEAR	1	0%	0	0%	1	0%	
ALL AREAS		460	100%	742	100%	1,203	10	
	OTTER TRAWL	448	97%	705	95%	1,153	96%	
	GILLNET	9	2%	33	4%	42	4%	
	HOOK	0	0%	0	0%	0	0%	
	OTHER GEAR	4	1%	4	0%	8	1%	
LANDINGS	1999/2000	460		742		1,203		-
LANDINGS	1998/1999	512		546		1,058		4,044
LANDINGS	1997/1998	407		558		965		4,144
LANDINGS	1996/1997	595		545		1,140		4,524

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

Witch Flounder Stock Areas:

GOM/GB: 464-465, 511-526, 551-552, 561-562.

SNE / Mid-Atlantic: 533-534, 537-539, 541-543, 611-639.

2. Landings in live weight.
3. State landings for Connecticut are estimated for the May-June 1999 period.
4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

TABLE 7.B - PRELIMINARY WITCH FLOUNDER LANDINGS BY MAJOR PORTS AND STATES, MAY-JUNE 1999

PORT/STATE	STOCK AREAS					GEAR TYPES							
	MAY-JUN 99	GOM/ GB		SNE/ MA		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	218	218	100%	0	0%	216	99%	0	0%	0	0%	2	1%
GLOUCESTER,MA	271	271	100%	0	0%	247	91%	22	8%	0	0%	3	1%
BOSTON,MA	56	56	100%	0	0%	56	100%	0	0%	0	0%	0	0%
NEW BEDFORD,MA	157	153	97%	4	3%	156	100%	0	0%	0	0%	1	0%
PT JUDITH, RI	87	29	33%	58	67%	87	100%	0	0%	0	0%	0	0%
MAINE	448	448	100%	1	0%	446	99%	0	0%	0	0%	2	1%
NEW HAMPSHIRE	19	19	100%	0	0%	16	85%	3	15%	0	0%	0	0%
MASSACHUSETTS	591	587	99%	4	1%	548	93%	39	7%	0	0%	3	1%
RHODE ISLAND	139	80	58%	59	42%	139	100%	0	0%	0	0%	0	0%
CONNECTICUT	1	1	93%	0	7%	0	15%	0	0%	0	0%	1	85%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	4	1	23%	3	77%	3	66%	0	0%	0	0%	1	34%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	1,203	1,136	94%	67	6%	1,153	96%	42	4%	0	0%	8	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment
(see the attached statistical chart).

Witch Flounder stock Areas: Gulf of Maine/GB: 464-465, 511-526, 551-552, 561-562.

SNE/MA: 533-534, 537-539, 541-543, 611-639.

2. State landings for Connecticut are estimated for the May-June 1999 period.

3. Landings in live weight.

4. Gear Data are based on vessel trip reports.

TABLE 8.A - PRELIMINARY PRORATED WINDOWPANE FLOUNDER LANDINGS

		MAY-99		JUN-99		MAY-JUN 99		FISHING YEAR*
		1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	LANDINGS 1000 LBS
GOM/GB		7	37%	3	38%	10	37%	
	OTTER TRAWL	6	36%	3	38%	10	37%	
	GILLNET	0	0%	0	0%	0	0%	
	HOOK	0	0%	0	0%	0	0%	
	OTHER GEAR	0	1%	0	0%	0	0%	
SNE/MA		11	63%	5	62%	17	63%	
	OTTER TRAWL	11	63%	5	62%	17	63%	
	GILLNET	0	0%	0	0%	0	0%	
	HOOK	0	0%	0	0%	0	0%	
	OTHER GEAR	0	0%	0	0%	0	0%	
ALL AREAS		18	100%	9	100%	26	100%	
	OTTER TRAWL	18	99%	9	100%	26	99%	
	GILLNET	0	0%	0	0%	0	0%	
	HOOK	0	0%	0	0%	0	0%	
	OTHER GEAR	0	1%	0	0%	0	1%	
LANDINGS 1999/2000		18		9		26		-
LANDINGS 1998/1999		52		34		86		610
LANDINGS 1997/1998		109		44		153		1,379
LANDINGS 1996/1997		206		137		343		1,898

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

Windowpane Flounder Stock Areas:

Gulf of Maine/Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562.

Southern New England/Mid-Atlantic: 526, 533-534, 537-539, 611-639.

2. Landings in live weight.
3. State landings for Connecticut are estimated for the May-June 1999 period.
4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

TABLE 8.B - PRELIMINARY WINDOWPANE FLOUNDER LANDINGS BY MAJOR PORTS AND STATES, MAY-JUNE 1999

PORT/STATE	STOCK AREAS					GEAR TYPES							
	MAY-JUN 99	GOM/ GB		SNE/ MA		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
GLOUCESTER,MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
BOSTON,MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW BEDFORD,MA	6	6	99%	0	1%	6	98%	0	0%	0	0%	0	2%
PT JUDITH, RI	4	0	2%	3	98%	4	100%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	7	7	99%	0	1%	7	98%	0	0%	0	0%	0	2%
RHODE ISLAND	7	2	32%	5	68%	7	100%	0	0%	0	0%	0	0%
CONNECTICUT	1	1	71%	0	29%	1	100%	0	0%	0	0%	0	0%
NEW YORK	3	0	0%	3	100%	3	100%	0	0%	0	0%	0	0%
NEW JERSEY	9	0	0%	9	100%	9	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	26	10	37%	17	63%	26	99%	0	0%	0	0%	0	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder stock Are:Gulf of Maine/GB: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562.

SNE/Mid-Atlantic: 526, 533-534, 537-539, 611-639.

2. State landings for Connecticut are estimated for the May - June 1999 period.

3. Landings in live weight.

4. Gear Data are based on vessel trip reports.

TABLE 9 - PRELIMINARY MULTISPECIES LANDINGS **

	FISHING YEAR*	MAY - 1999		JUN - 1999		MAY-JUN 99		1999/2000*		1998/1999*		FISHING YEAR* LANDINGS 1000 LBS
		1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	MAY-JUN 99 AS A % OF TARGET TAC	TARGET TAC (1000 LBS)	MAY-JUN 98 AS A % OF TARGET TAC	TARGET TAC (1000 LBS)	
Atlantic Pollock	1999/2000	551	16%	660	15%	1,212	15%	2%				
	1998/1999	482	12%	1,043	23%	1,525	18%			3%		
	1997/1998	499	14%	1,170	24%	1,669	20%					
	1996/1997	354	7%	963	19%	1,317	13%					
Redfish	1999/2000	68	2%	98	2%	166	2%	0%				
	1998/1999	22	1%	43	1%	65	1%			0%		
	1997/1998	11	0%	41	1%	52	1%					
	1996/1997	83	2%	63	1%	146	1%					
White Hake	1999/2000	395	11%	749	17%	1,144	14%	2%				
	1998/1999	222	6%	567	13%	789	9%			1%		
	1997/1998	138	4%	461	10%	599	7%					
	1996/1997	536	11%	806	16%	1,342	14%					
American Plaice	1999/2000	802	23%	1,096	25%	1,898	24%	3%				
	1998/1999	1,423	35%	972	22%	2,396	28%			4%		
	1997/1998	1,064	30%	1,308	27%	2,373	29%					
	1996/1997	1,473	31%	1,233	24%	2,706	27%					
Winter Flounder	1999/2000	1,180	34%	1,067	24%	2,247	28%	4%				
	1998/1999	1,305	32%	1,250	28%	2,555	30%			5%		
	1997/1998	1,304	37%	1,201	25%	2,505	30%					
	1996/1997	1,544	32%	1,372	27%	2,916	30%					
Witch Flounder	1999/2000	460	13%	742	17%	1,203	15%	2%				
	1998/1999	512	13%	546	12%	1,058	12%			2%		
	1997/1998	407	12%	558	12%	965	12%					
	1996/1997	595	12%	457	9%	1,052	11%					
Windowpane Flounder	1999/2000	18	1%	9	0%	26	0%	0%				
	1998/1997	52	1%	34	1%	86	1%			0%		
	1997/1996	109	3%	44	1%	153	2%					
	1996/1995	206	4%	171	3%	377	4%					
All 7 Species - Total	1999/2000	3,475	100%	4,421	100%	7,895	100%	14%	56,200			-
	1998/1997	4,019	100%	4,455	100%	8,474	100%			15%	56,200	42,218
	1997/1996	3,532	100%	4,783	100%	8,314	100%					42,840
	1996/1995	4,792	100%	5,064	100%	9,856	100%					42,093

1. Landings in live weight.

2. Connecticut landings are estimated for the May-June 1999 period.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** For the 7 species under the Multispecies FMP other than cod, haddock and yellowtail flounder.

TABLE 10.A - PRELIMINARY SEA SCALLOP LANDINGS BY STOCK AREA

	MAR - 1999		APR - 1999		MAY - 1999		JUN - 1999		MAR 99-JUN 99		FISHING YEAR*
	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	LANDINGS
GULF OF MAINE	20	1%	8	0%	3	0%	12	0%	42	0%	1000 LBS
OTTER TRAWL	1	0%	0	0%	0	0%	9	0%	10	0%	
DREDGE	19	1%	7	0%	2	0%	3	0%	32	0%	
OTHER GEAR	0	0%	0	0%	0	0%	0	0%	0	0%	
SOUTH CHANNEL	201	14%	302	15%	391	14%	795	25%	1,689	18%	
OTTER TRAWL	0	0%	0	0%	1	0%	0	0%	1	0%	
DREDGE	201	14%	302	15%	390	14%	794	25%	1,688	18%	
OTHER GEAR	0	0%	0	0%	0	0%	0	0%	0	0%	
GEORGES BANK NORTH	45	3%	196	10%	49	2%	475	15%	765	8%	
OTTER TRAWL	0	0%	0	0%	0	0%	0	0%	0	0%	
DREDGE	45	3%	196	10%	49	2%	443	14%	733	8%	
OTHER GEAR	0	0%	0	0%	0	0%	32	1%	32	0%	
GEORGES BANK SOUTH	20	1%	76	4%	194	7%	367	12%	657	7%	
OTTER TRAWL	1	0%	0	0%	0	0%	0	0%	1	0%	
DREDGE	19	1%	76	4%	194	7%	337	11%	627	7%	
OTHER GEAR	0	0%	0	0%	0	0%	30	1%	30	0%	
SOUTHERN NEW ENGLAND	12	1%	25	1%	14	1%	20	1%	71	1%	
OTTER TRAWL	11	1%	17	1%	14	1%	20	1%	63	1%	
DREDGE	1	0%	7	0%	0	0%	0	0%	8	0%	
OTHER GEAR	0	0%	0	0%	0	0%	0	0%	0	0%	
NEW YORK BIGHT	557	38%	572	28%	1,080	39%	468	15%	2,677	28%	
OTTER TRAWL	2	0%	5	0%	0	0%	2	0%	9	0%	
DREDGE	555	38%	567	28%	1,080	39%	466	15%	2,668	28%	
OTHER GEAR	0	0%	0	0%	0	0%	0	0%	0	0%	
DELMARVA	596	41%	825	41%	968	35%	1,005	32%	3,394	36%	
OTTER TRAWL	59	4%	209	10%	165	6%	331	10%	765	8%	
DREDGE	537	37%	573	28%	691	25%	637	20%	2,438	26%	
OTHER GEAR	0	0%	43	2%	112	4%	37	1%	191	2%	
VIRGINIA/NORTH CAROLINA	1	0%	27	1%	63	2%	34	1%	124	1%	
OTTER TRAWL	0	0%	0	0%	0	0%	0	0%	0	0%	
DREDGE	1	0%	27	1%	63	2%	34	1%	124	1%	
OTHER GEAR	0	0%	0	0%	0	0%	0	0%	0	0%	
ALL AREAS	1,452	100%	2,030	100%	2,762	100%	3,176	100%	9,420	100%	
OTTER TRAWL	74	5%	232	11%	180	7%	362	11%	848	9%	
DREDGE	1,378	95%	1,755	86%	2,470	89%	2,715	85%	8,318	88%	
OTHER GEAR	0	0%	43	2%	112	4%	99	3%	254	3%	
LANDINGS - ALL AREAS											
FISHING YEAR 1999/2000	1,452		2,030		2,762		3,176		9,420		-
FISHING YEAR 1998/1999	1,018		1,528		1,428		691		4,665		13,982
FISHING YEAR 1997/1998	803		803		803		803		3,213		17,656
FISHING YEAR 1996/1997	705		705		705		705		2,822		17,257

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

Sea Scallop Stock Areas:

Gulf of Maine: 511-515.
 South Channel: 521, 522, 526.
 Georges Bank North: 561, 562.
 Georges Bank South: 525.
 Southern New England: 537-539.
 New York Bight: 611-616.
 Delmarva: 621-623, 625-627.
 Virginia/North Carolina: 631-638.

2. Landings in meat weight.

3. State landings for Connecticut are estimated for the March-June 1999 period.

4. Gear data are based on vessel trip reports.

* Fishing Year is March 1 through February 28.

TABLE 10.B - PRELIMINARY SEA SCALLOP LANDINGS BY MAJOR PORTS AND STATES, MARCH - JUNE 1999

		STOCK AREAS															
PORT/STATE	MAR - JUN 99	GULF OF MAINE		SOUTH CHANNEL		GEORGES BANK NORTH		GEORGES BANK SOUTH		SOUTHERN NEW ENGLAND		NEW YORK BIGHT		DELMARVA		VIRGINIA & NORTH CAROLINA	
	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
NEW BEDFORD,MA	4,422	2	0%	1,606	36%	709	16%	605	14%	69	2%	1,254	28%	178	4%	0	0%
CAPE MAY, NJ	1,075	0	0%	0	0%	0	0%	0	0%	0	0%	340	32%	735	68%	0	0%
NORFOLK, VA	3,107	0	0%	0	0%	0	0%	0	0%	0	0%	563	18%	2,419	78%	124	4%
MAINE	76	35	46%	26	34%	0	0%	0	0%	0	0%	15	20%	0	0%	0	0%
NEW HAMPSHIRE	1	1	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	4,440	6	0%	1,610	36%	712	16%	610	14%	70	2%	1,255	28%	178	4%	0	0%
RHODE ISLAND	35	0	0%	1	4%	0	0%	0	0%	0	0%	22	63%	11	32%	0	0%
CONNECTICUT	355	0	0%	52	15%	39	11%	47	13%	0	0%	217	61%	0	0%	0	0%
NEW JERSEY	1,393	0	0%	0	0%	13	1%	0	0%	1	0%	597	43%	782	56%	0	0%
VIRGINIA	3,107	0	0%	0	0%	0	0%	0	0%	0	0%	563	18%	2,420	78%	124	4%
OTHER NORTHEAST*	12	0	0%	0	0%	0	0%	0	0%	0	0%	8	69%	4	31%	0	0%
TOTAL	9,420	42	0%	1,689	18%	765	8%	657	7%	71	1%	2,677	28%	3,394	36%	124	1%

		GEAR					
PORT/STATE	MAR - JUN 99	OTTER TRAWL		DREDGE		OTHER GEARS	
	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%
NEW BEDFORD,MA	4,422	64	1%	4,296	97%	62	1%
CAPE MAY, NJ	1,075	377	35%	598	56%	100	9%
NORFOLK, VA	3,107	384	12%	2,632	85%	91	3%
MAINE	76	9	12%	67	88%	0	0%
NEW HAMPSHIRE	1	1	58%	0	42%	0	0%
MASSACHUSETTS	4,440	65	1%	4,313	97%	62	1%
RHODE ISLAND	35	0	1%	34	99%	0	0%
CONNECTICUT	355	1	0%	354	100%	0	0%
NEW JERSEY	1,393	377	27%	916	66%	100	7%
VIRGINIA	3,107	384	12%	2,632	85%	91	3%
OTHER NORTHEAST*	12	12	100%	0	0%	0	0%
TOTAL	9,420	848	9%	8,318	88%	254	3%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Sea Scallop Stock Areas: Gulf of Maine: 511- 515.

South Channel: 521, 522, 526.

Georges Bank North: 561, 562.

Georges Bank South: 525.

Southern New England: 537-539.

New York Bight: 611-616

Delmarva: 621-623, 625-627.

Virginia/North Carolina: 631-638.

2. State landings for Connecticut are estimated for March-June 1999.

3. Landings in meat weight.

4. Gear data are based on vessel trip reports.

*Includes North Carolina